


Standard- Grossraum- und Sondergaragen



Standardgaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
III SB	5.98	2.95	2.60	2.12	2.49	14.50	45.87
60/98-1	6.00	2.98	2.48	2.02	2.41	17.00	44.34
65/98-1	6.50	2.98	2.48	2.02	2.41	18.50	48.04
70/98-1	7.00	2.98	2.48	2.02	2.41	19.50	51.73


Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
55/78-1	5.50	2.78	2.48	2.02	2.21	15.00	37.92
55/78-2	5.50	2.78	2.73	2.27	2.21	16.00	41.74
55/78-3	5.50	2.78	2.83	2.37	2.21	16.50	43.27
55/78-4	5.50	2.78	2.98	2.52	2.21	17.00	45.56
55/78-5	5.50	2.78	3.23	2.77	2.21	17.50	49.39
55/78-6	5.50	2.78	3.48	3.02	2.21	18.50	53.21
55/98-1	5.50	2.98	2.48	2.02	2.41	16.00	40.65
55/98-2	5.50	2.98	2.73	2.27	2.41	17.00	44.74
55/98-3	5.50	2.98	2.83	2.37	2.41	17.00	46.38
55/98-4	5.50	2.98	2.98	2.52	2.41	17.00	48.84
55/98-5	5.50	2.98	3.23	2.77	2.41	18.50	52.94
55/98-6	5.50	2.98	3.48	3.02	2.41	19.00	57.04
55/18-1	5.50	3.18	2.48	2.02	2.61	16.50	43.38
55/18-2	5.50	3.18	2.73	2.27	2.61	17.50	47.75
55/18-3	5.50	3.18	2.83	2.37	2.61	17.50	49.50
55/18-4	5.50	3.18	2.98	2.52	2.61	18.00	52.12
55/18-5	5.50	3.18	3.23	2.77	2.61	19.00	56.49
55/18-6	5.50	3.18	3.48	3.02	2.61	20.00	60.87
55/38-1	5.50	3.38	2.48	2.02	2.81	17.50	46.10
55/38-2	5.50	3.38	2.73	2.27	2.81	18.00	50.75
55/38-3	5.50	3.38	2.83	2.37	2.81	18.50	52.61
55/38-4	5.50	3.38	2.98	2.52	2.81	19.00	55.40
55/38-5	5.50	3.38	3.23	2.77	2.81	20.00	60.05
55/38-6	5.50	3.38	3.48	3.02	2.81	20.50	64.69
55/58-1	5.50	3.58	2.48	2.02	3.01	18.00	48.83
55/58-2	5.50	3.58	2.73	2.27	3.01	19.00	53.75
55/58-3	5.50	3.58	2.83	2.37	3.01	19.00	55.72
55/58-4	5.50	3.58	2.98	2.52	3.01	19.50	58.68
55/58-5	5.50	3.58	3.23	2.77	3.01	20.50	63.60
55/58-6	5.50	3.58	3.48	3.02	3.01	21.00	68.52

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen



www.peterbau.ch


Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
60/78-1	6.00	2.78	2.48	2.02	2.21	16.50	41.37
60/78-2	6.00	2.78	2.73	2.27	2.21	17.00	45.54
60/78-3	6.00	2.78	2.83	2.37	2.21	17.50	47.20
60/78-4	6.00	2.78	2.98	2.52	2.21	18.00	49.71
60/78-5	6.00	2.78	3.23	2.77	2.21	19.00	53.88
60/78-6	6.00	2.78	3.48	3.02	2.21	19.50	58.05
60/98-1	6.00	2.98	2.48	2.02	2.41	17.00	44.34
60/98-2	6.00	2.98	2.73	2.27	2.41	18.00	48.81
60/98-3	6.00	2.98	2.83	2.37	2.41	18.00	50.60
60/98-4	6.00	2.98	2.98	2.52	2.41	19.00	53.28
60/98-5	6.00	2.98	3.23	2.77	2.41	19.50	57.75
60/98-6	6.00	2.98	3.48	3.02	2.41	20.50	62.22
60/18-1	6.00	3.18	2.48	2.02	2.61	18.00	47.32
60/18-2	6.00	3.18	2.73	2.27	2.61	19.00	52.09
60/18-3	6.00	3.18	2.83	2.37	2.61	19.00	54.00
60/18-4	6.00	3.18	2.98	2.52	2.61	19.50	56.86
60/18-5	6.00	3.18	3.23	2.77	2.61	20.50	61.63
60/18-6	6.00	3.18	3.48	3.02	2.61	21.50	66.40
60/38-1	6.00	3.38	2.48	2.02	2.81	18.50	50.29
60/38-2	6.00	3.38	2.73	2.27	2.81	19.50	55.36
60/38-3	6.00	3.38	2.83	2.37	2.81	20.00	57.39
60/38-4	6.00	3.38	2.98	2.52	2.81	20.50	60.43
60/38-5	6.00	3.38	3.23	2.77	2.81	21.00	65.50
60/38-6	6.00	3.38	3.48	3.02	2.81	22.00	70.57
60/58-1	6.00	3.58	2.48	2.02	3.01	19.50	53.27
60/58-2	6.00	3.58	2.73	2.27	3.01	20.50	58.64
60/58-3	6.00	3.58	2.83	2.37	3.01	20.50	60.79
60/58-4	6.00	3.58	2.98	2.52	3.01	21.00	64.01
60/58-5	6.00	3.58	3.23	2.77	3.01	22.00	69.38
60/58-6	6.00	3.58	3.48	3.02	3.01	23.00	74.75

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen



Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
65/78-1	6.50	2.78	2.48	2.02	2.21	17.50	44.81
65/78-2	6.50	2.78	2.73	2.27	2.21	18.50	49.33
65/78-3	6.50	2.78	2.83	2.37	2.21	19.00	51.14
65/78-4	6.50	2.78	2.98	2.52	2.21	19.00	53.85
65/78-5	6.50	2.78	3.23	2.77	2.21	20.00	58.37
65/78-6	6.50	2.78	3.48	3.02	2.21	21.00	62.88
65/98-1	6.50	2.98	2.48	2.02	2.41	18.50	48.04
65/98-2	6.50	2.98	2.73	2.27	2.41	19.00	52.88
65/98-3	6.50	2.98	2.83	2.37	2.41	19.50	54.82
65/98-4	6.50	2.98	2.98	2.52	2.41	20.00	57.72
65/98-5	6.50	2.98	3.23	2.77	2.41	21.00	62.57
65/98-6	6.50	2.98	3.48	3.02	2.41	22.00	67.41
65/18-1	6.50	3.18	2.48	2.02	2.61	19.00	51.26
65/18-2	6.50	3.18	2.73	2.27	2.61	20.00	56.43
65/18-3	6.50	3.18	2.83	2.37	2.61	20.50	58.50
65/18-4	6.50	3.18	2.98	2.52	2.61	21.00	61.60
65/18-5	6.50	3.18	3.23	2.77	2.61	22.00	66.76
65/18-6	6.50	3.18	3.48	3.02	2.61	23.00	71.93
65/38-1	6.50	3.38	2.48	2.02	2.81	20.00	54.49
65/38-2	6.50	3.38	2.73	2.27	2.81	21.00	59.98
65/38-3	6.50	3.38	2.83	2.37	2.81	21.00	62.18
65/38-4	6.50	3.38	2.98	2.52	2.81	22.00	65.47
65/38-5	6.50	3.38	3.23	2.77	2.81	22.50	70.96
65/38-6	6.50	3.38	3.48	3.02	2.81	23.50	76.46
65/58-1	6.50	3.58	2.48	2.02	3.01	21.00	57.71
65/58-2	6.50	3.58	2.73	2.27	3.01	22.00	63.53
65/58-3	6.50	3.58	2.83	2.37	3.01	22.00	65.85
65/58-4	6.50	3.58	2.98	2.52	3.01	23.00	69.34
65/58-5	6.50	3.58	3.23	2.77	3.01	23.50	75.16
65/58-6	6.50	3.58	3.48	3.02	3.01	24.50	80.98


Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen



www.peterbau.ch




Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
70/78-1	7.00	2.78	2.48	2.02	2.21	18.00	48.26
70/78-2	7.00	2.78	2.73	2.27	2.21	19.50	53.13
70/78-3	7.00	2.78	2.83	2.37	2.21	20.00	55.07
70/78-4	7.00	2.78	2.98	2.52	2.21	20.50	57.99
70/78-5	7.00	2.78	3.23	2.77	2.21	21.50	62.86
70/78-6	7.00	2.78	3.48	3.02	2.21	22.50	67.72
70/98-1	7.00	2.98	2.48	2.02	2.41	19.50	51.73
70/98-2	7.00	2.98	2.73	2.27	2.41	20.50	56.95
70/98-3	7.00	2.98	2.83	2.37	2.41	21.00	59.03
70/98-4	7.00	2.98	2.98	2.52	2.41	21.50	62.16
70/98-5	7.00	2.98	3.23	2.77	2.41	22.50	67.38
70/98-6	7.00	2.98	3.48	3.02	2.41	23.50	72.59
70/18-1	7.00	3.18	2.48	2.02	2.61	20.50	55.20
70/18-2	7.00	3.18	2.73	2.27	2.61	21.50	60.77
70/18-3	7.00	3.18	2.83	2.37	2.61	22.00	63.00
70/18-4	7.00	3.18	2.98	2.52	2.61	22.50	66.33
70/18-5	7.00	3.18	3.23	2.77	2.61	23.50	71.90
70/18-6	7.00	3.18	3.48	3.02	2.61	24.50	77.46
70/38-1	7.00	3.38	2.48	2.02	2.81	21.50	58.68
70/38-2	7.00	3.38	2.73	2.27	2.81	22.50	64.59
70/38-3	7.00	3.38	2.83	2.37	2.81	23.00	66.96
70/38-4	7.00	3.38	2.98	2.52	2.81	23.50	70.51
70/38-5	7.00	3.38	3.23	2.77	2.81	24.00	76.42
70/38-6	7.00	3.38	3.48	3.02	2.81	25.00	82.34
70/58-1	7.00	3.58	2.48	2.02	3.01	22.50	62.15
70/58-2	7.00	3.58	2.73	2.27	3.01	23.50	68.41
70/58-3	7.00	3.58	2.83	2.37	3.01	23.50	70.92
70/58-4	7.00	3.58	2.98	2.52	3.01	24.00	74.68
70/58-5	7.00	3.58	3.23	2.77	3.01	25.00	80.94
70/58-6	7.00	3.58	3.48	3.02	3.01	26.00	87.21

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen




Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
75/78-1	7.50	2.78	2.48	2.02	2.21	20.00	51.71
75/78-2	7.50	2.78	2.73	2.27	2.21	21.00	56.92
75/78-3	7.50	2.78	2.83	2.37	2.21	21.50	59.01
75/78-4	7.50	2.78	2.98	2.52	2.21	22.00	62.13
75/78-5	7.50	2.78	3.23	2.77	2.21	23.00	67.35
75/78-6	7.50	2.78	3.48	3.02	2.21	24.00	72.56
75/98-1	7.50	2.98	2.48	2.02	2.41	21.00	55.43
75/98-2	7.50	2.98	2.73	2.27	2.41	22.00	61.02
75/98-3	7.50	2.98	2.83	2.37	2.41	22.50	63.25
75/98-4	7.50	2.98	2.98	2.52	2.41	23.00	66.60
75/98-5	7.50	2.98	3.23	2.77	2.41	24.00	72.19
75/98-6	7.50	2.98	3.48	3.02	2.41	25.00	77.78
75/18-1	7.50	3.18	2.48	2.02	2.61	22.00	59.15
75/18-2	7.50	3.18	2.73	2.27	2.61	23.00	65.11
75/18-3	7.50	3.18	2.83	2.37	2.61	23.00	67.50
75/18-4	7.50	3.18	2.98	2.52	2.61	24.00	71.07
75/18-5	7.50	3.18	3.23	2.77	2.61	24.50	77.04
75/18-6	7.50	3.18	3.48	3.02	2.61	26.00	83.00
75/38-1	7.50	3.38	2.48	2.02	2.81	22.50	62.87
75/38-2	7.50	3.38	2.73	2.27	2.81	23.50	69.21
75/38-3	7.50	3.38	2.83	2.37	2.81	24.00	71.74
75/38-4	7.50	3.38	2.98	2.52	2.81	24.50	75.54
75/38-5	7.50	3.38	3.23	2.77	2.81	25.50	81.88
75/38-6	7.50	3.38	3.48	3.02	2.81	26.50	88.22
75/58-1	7.50	3.58	2.48	2.02	3.01	23.50	66.59
75/58-2	7.50	3.58	2.73	2.27	3.01	24.50	73.30
75/58-3	7.50	3.58	2.83	2.37	3.01	25.00	75.99
75/58-4	7.50	3.58	2.98	2.52	3.01	25.50	80.01
75/58-5	7.50	3.58	3.23	2.77	3.01	26.50	86.73
75/58-6	7.50	3.58	3.48	3.02	3.01	27.50	93.44

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen




Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ²
				Höhe	Breite		
80/78-1	8.00	2.78	2.48	2.02	2.21	20.00	55.16
80/78-2	8.00	2.78	2.73	2.27	2.21	22.00	60.72
80/78-3	8.00	2.78	2.83	2.37	2.21	22.50	62.94
80/78-4	8.00	2.78	2.98	2.52	2.21	24.00	66.28
80/78-5	8.00	2.78	3.23	2.77	2.21	25.00	71.84
80/78-6	8.00	2.78	3.48	3.02	2.21	26.00	77.40
80/98-1	8.00	2.98	2.48	2.02	2.41	22.00	59.12
80/98-2	8.00	2.98	2.73	2.27	2.41	23.00	65.08
80/98-3	8.00	2.98	2.83	2.37	2.41	23.50	67.47
80/98-4	8.00	2.98	2.98	2.52	2.41	24.00	71.04
80/98-5	8.00	2.98	3.23	2.77	2.41	25.00	77.00
80/98-6	8.00	2.98	3.48	3.02	2.41	26.00	82.96
80/18-1	8.00	3.18	2.48	2.02	2.61	23.00	63.09
80/18-2	8.00	3.18	2.73	2.27	2.61	24.00	69.45
80/18-3	8.00	3.18	2.83	2.37	2.61	24.50	72.00
80/18-4	8.00	3.18	2.98	2.52	2.61	25.00	75.81
80/18-5	8.00	3.18	3.23	2.77	2.61	26.00	82.17
80/18-6	8.00	3.18	3.48	3.02	2.61	27.00	88.53
80/38-1	8.00	3.38	2.48	2.02	2.81	24.00	67.06
80/38-2	8.00	3.38	2.73	2.27	2.81	25.00	73.82
80/38-3	8.00	3.38	2.83	2.37	2.81	25.50	76.52
80/38-4	8.00	3.38	2.98	2.52	2.81	26.00	80.58
80/38-5	8.00	3.38	3.23	2.77	2.81	27.00	87.34
80/38-6	8.00	3.38	3.48	3.02	2.81	28.00	94.10
80/58-1	8.00	3.58	2.48	2.02	3.01	25.00	71.03
80/58-2	8.00	3.58	2.73	2.27	3.01	26.00	78.19
80/58-3	8.00	3.58	2.83	2.37	3.01	26.50	81.05
80/58-4	8.00	3.58	2.98	2.52	3.01	27.00	85.35
80/58-5	8.00	3.58	3.23	2.77	3.01	28.00	92.51
80/58-6	8.00	3.58	3.48	3.02	3.01	29.50	99.67

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen




Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
85/78-1	8.50	2.78	2.48	2.02	2.21	22.50	58.60
85/78-2	8.50	2.78	2.73	2.27	2.21	23.50	64.51
85/78-3	8.50	2.78	2.83	2.37	2.21	24.00	66.87
85/78-4	8.50	2.78	2.98	2.52	2.21	24.50	70.42
85/78-5	8.50	2.78	3.23	2.77	2.21	25.50	76.32
85/78-6	8.50	2.78	3.48	3.02	2.21	26.50	82.23
85/98-1	8.50	2.98	2.48	2.02	2.41	23.50	62.82
85/98-2	8.50	2.98	2.73	2.27	2.41	24.50	69.15
85/98-3	8.50	2.98	2.83	2.37	2.41	25.00	71.68
85/98-4	8.50	2.98	2.98	2.52	2.41	25.50	75.48
85/98-5	8.50	2.98	3.23	2.77	2.41	26.50	81.82
85/98-6	8.50	2.98	3.48	3.02	2.41	27.50	88.15
85/18-1	8.50	3.18	2.48	2.02	2.61	24.50	67.03
85/18-2	8.50	3.18	2.73	2.27	2.61	25.50	73.79
85/18-3	8.50	3.18	2.83	2.37	2.61	26.00	76.49
85/18-4	8.50	3.18	2.98	2.52	2.61	26.50	80.55
85/18-5	8.50	3.18	3.23	2.77	2.61	27.50	87.31
85/18-6	8.50	3.18	3.48	3.02	2.61	29.00	94.06
85/38-1	8.50	3.38	2.48	2.02	2.81	25.50	71.25
85/38-2	8.50	3.38	2.73	2.27	2.81	26.50	78.43
85/38-3	8.50	3.38	2.83	2.37	2.81	27.00	81.31
85/38-4	8.50	3.38	2.98	2.52	2.81	27.50	85.62
85/38-5	8.50	3.38	3.23	2.77	2.81	28.50	92.80
85/38-6	8.50	3.38	3.48	3.02	2.81	30.00	99.98
85/58-1	8.50	3.58	2.48	2.02	3.01	26.50	75.47
85/58-2	8.50	3.58	2.73	2.27	3.01	27.50	83.07
85/58-3	8.50	3.58	2.83	2.37	3.01	28.00	86.12
85/58-4	8.50	3.58	2.98	2.52	3.01	28.50	90.68
85/58-5	8.50	3.58	3.23	2.77	3.01	30.00	98.29
85/58-6	8.50	3.58	3.48	3.02	3.01	31.00	105.90

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen




Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
90/78-1	9.00	2.78	2.48	2.02	2.21	23.50	62.05
90/78-2	9.00	2.78	2.73	2.27	2.21	24.50	68.30
90/78-3	9.00	2.78	2.83	2.37	2.21	25.00	70.81
90/78-4	9.00	2.78	2.98	2.52	2.21	25.50	74.56
90/78-5	9.00	2.78	3.23	2.77	2.21	27.00	80.81
90/78-6	9.00	2.78	3.48	3.02	2.21	28.00	87.07
90/98-1	9.00	2.98	2.48	2.02	2.41	24.50	66.51
90/98-2	9.00	2.98	2.73	2.27	2.41	25.50	73.22
90/98-3	9.00	2.98	2.83	2.37	2.41	26.00	75.90
90/98-4	9.00	2.98	2.98	2.52	2.41	27.00	79.92
90/98-5	9.00	2.98	3.23	2.77	2.41	28.00	86.63
90/98-6	9.00	2.98	3.48	3.02	2.41	29.00	93.33
90/18-1	9.00	3.18	2.48	2.02	2.61	25.50	70.98
90/18-2	9.00	3.18	2.73	2.27	2.61	27.00	78.13
90/18-3	9.00	3.18	2.83	2.37	2.61	27.00	80.99
90/18-4	9.00	3.18	2.98	2.52	2.61	28.00	85.29
90/18-5	9.00	3.18	3.23	2.77	2.61	29.00	92.44
90/18-6	9.00	3.18	3.48	3.02	2.61	30.00	99.60
90/38-1	9.00	3.38	2.48	2.02	2.81	26.50	75.44
90/38-2	9.00	3.38	2.73	2.27	2.81	28.00	83.05
90/38-3	9.00	3.38	2.83	2.37	2.81	28.50	86.09
90/38-4	9.00	3.38	2.98	2.52	2.81	29.00	90.65
90/38-5	9.00	3.38	3.23	2.77	2.81	30.00	98.26
90/38-6	9.00	3.38	3.48	3.02	2.81	31.50	105.86
90/58-1	9.00	3.58	2.48	2.02	3.01	28.00	79.91
90/58-2	9.00	3.58	2.73	2.27	3.01	29.00	87.96
90/58-3	9.00	3.58	2.83	2.37	3.01	29.50	91.18
90/58-4	9.00	3.58	2.98	2.52	3.01	30.00	96.02
90/58-5	9.00	3.58	3.23	2.77	3.01	31.00	104.07
90/58-6	9.00	3.58	3.48	3.02	3.01	32.50	112.13

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.
Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen




Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
95/78-1	9.50	2.78	2.48	2.02	2.21	24.50	65.50
95/78-2	9.50	2.78	2.73	2.27	2.21	26.00	72.10
95/78-3	9.50	2.78	2.83	2.37	2.21	26.50	74.74
95/78-4	9.50	2.78	2.98	2.52	2.21	27.00	78.70
95/98-1	9.50	2.98	2.48	2.02	2.41	26.00	70.21
95/98-2	9.50	2.98	2.73	2.27	2.41	27.00	77.29
95/98-3	9.50	2.98	2.83	2.37	2.41	27.50	80.12
95/98-4	9.50	2.98	2.98	2.52	2.41	28.50	84.36
95/18-1	9.50	3.18	2.48	2.02	2.61	27.00	74.92
95/18-2	9.50	3.18	2.73	2.27	2.61	28.00	82.47
95/18-3	9.50	3.18	2.83	2.37	2.61	29.00	85.49
95/18-4	9.50	3.18	2.98	2.52	2.61	29.50	90.03
95/38-1	9.50	3.38	2.48	2.02	2.81	28.00	79.63
95/38-2	9.50	3.38	2.73	2.27	2.81	29.50	87.66
95/38-3	9.50	3.38	2.83	2.37	2.81	30.00	90.87
95/38-4	9.50	3.38	2.98	2.52	2.81	30.50	95.69
95/58-1	9.50	3.58	2.48	2.02	3.01	29.50	84.34
95/58-2	9.50	3.58	2.73	2.27	3.01	30.50	92.85
95/58-3	9.50	3.58	2.83	2.37	3.01	31.00	96.25
95/58-4	9.50	3.58	2.98	2.52	3.01	32.00	101.35
100/78-1	10.00	2.78	2.48	2.02	2.21	26.00	68.94
100/78-2	10.00	2.78	2.73	2.27	2.21	27.00	75.89
100/78-3	10.00	2.78	2.83	2.37	2.21	27.50	78.67
100/78-4	10.00	2.78	2.98	2.52	2.21	28.50	82.84
100/98-1	10.00	2.98	2.48	2.02	2.41	27.00	73.90
100/98-2	10.00	2.98	2.73	2.27	2.41	28.50	81.35
100/98-3	10.00	2.98	2.83	2.37	2.41	29.00	84.33
100/98-4	10.00	2.98	2.98	2.52	2.41	29.50	88.80
100/18-1	10.00	3.18	2.48	2.02	2.61	28.50	78.86
100/18-2	10.00	3.18	2.73	2.27	2.61	29.50	86.81
100/18-3	10.00	3.18	2.83	2.37	2.61	30.00	89.99
100/18-4	10.00	3.18	2.98	2.52	2.61	31.00	94.76
100/38-1	10.00	3.38	2.48	2.02	2.81	29.50	83.82
100/38-2	10.00	3.38	2.73	2.27	2.81	31.00	92.27
100/38-3	10.00	3.38	2.83	2.37	2.81	31.50	95.65
100/38-4	10.00	3.38	2.98	2.52	2.81	32.00	100.72
100/58-1	10.00	3.58	2.48	2.02	3.01	30.50	88.78
100/58-2	10.00	3.58	2.73	2.27	3.01	32.00	97.73
100/58-3	10.00	3.58	2.83	2.37	3.01	32.50	101.31
100/58-4	10.00	3.58	2.98	2.52	3.01	33.50	106.68

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!

Standard- Grossraum- und Sondergaragen



Grossraum- und Sondergaragen

Typ	Länge	Breite	Höhe	Durchfahrtsmasse		to	BRI m ³
				Höhe	Breite		
105/78-1	10.50	2.78	2.48	2.02	2.21	27.00	72.39
105/78-2	10.50	2.78	2.73	2.27	2.21	28.50	79.69
105/78-3	10.50	2.78	2.83	2.37	2.21	29.00	82.61
105/78-4	10.50	2.78	2.98	2.52	2.21	30.00	86.99
105/98-1	10.50	2.98	2.48	2.02	2.41	28.50	77.60
105/98-2	10.50	2.98	2.73	2.27	2.41	29.50	85.42
105/98-3	10.50	2.98	2.83	2.37	2.41	30.00	88.55
105/98-4	10.50	2.98	2.98	2.52	2.41	31.00	93.24
105/18-1	10.50	3.18	2.48	2.02	2.61	29.50	82.81
105/18-2	10.50	3.18	2.73	2.27	2.61	31.00	91.15
105/18-3	10.50	3.18	2.83	2.37	2.61	31.50	94.49
105/18-4	10.50	3.18	2.98	2.52	2.61	32.00	99.50
105/38-1	10.50	3.38	2.48	2.02	2.81	31.00	88.02
105/38-2	10.50	3.38	2.73	2.27	2.81	32.00	96.89
105/38-3	10.50	3.38	2.83	2.37	2.81	32.50	100.44
105/38-4	10.50	3.38	2.98	2.52	2.81	33.50	105.76
105/58-1	10.50	3.58	2.48	2.02	3.01	32.00	93.22
105/58-2	10.50	3.58	2.73	2.27	3.01	33.50	102.62
105/58-3	10.50	3.58	2.83	2.37	3.01	34.00	106.38
105/58-4	10.50	3.58	2.98	2.52	3.01	35.00	112.02

Zwischenabmessungen im Raster von 10 cm Länge und Breite sind möglich.

Technische Änderungen bleiben vorbehalten!